

6/6



भारत का राजपत्र The Gazette of India

असाधारण
EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (I)
PART II—Section 3—Sub-section (I)

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 259]

नई दिल्ली, मंगलवार, अगस्त 3, 1993/श्रावण 12, 1915

No. 259]

NEW DELHI, TUESDAY, AUGUST 3, 1993/SRAVANA 12, 1915

पेट्रोलियम और प्राकृतिक गैस मंत्रालय

अधिसूचना

नई दिल्ली, 3 अगस्त, 1993

सा.का.नि. 529(अ).—केन्द्रीय सरकार, आवश्यक वस्तु अधिनियम, 1955 (1955 का 10) की धारा 3 द्वारा प्रदत्त शक्तियों का प्रयोग करने द्वारा, निम्नलिखित आदेश करती है, अर्थात्:—

1. (1) संक्षिप्त नाम और प्रारंभ:—इस आदेश का संक्षिप्त नाम द्रवित पेट्रोलियम गैस (प्रदाय और वितरण विनियम) आदेश, 1993 है।

(2) इसका विस्तार सम्पूर्ण भारत पर है।

(3) यह राजपत्र में प्रकाशन की तारीख को प्रवृत्त होगा।

2. परिभाषा:—इस आदेश में जब तक कि संदर्भ से अन्यथा अपेक्षित न हो:

(क) “मुख्य विस्फोटक नियंत्रक” का वही अर्थ होगा जो भारतीय विस्फोटक अधिनियम, 1984 (1984 का 4) में है;

(ख) “उपभोक्ता” से कोई ऐसा व्यक्ति, फर्म, कंपनी, संस्था, व्यक्तियों का संगम, सहकारी सोसायटी या संगठन अभिप्रेत है, जिसका नाम प्रपूज में अथवा सिलेण्डर में द्रवित पेट्रोलियम गैस के प्रदाय के लिए किसी वितरक या किसी सरकारी तेल कंपनी या समानान्तर विपणनकर्ता के यहाँ रजिस्ट्रीकृत है;

(ग) “सिलेण्डर” से कोई ऐसा धातु आधान अभिप्रेत है, जिसका उपयोग द्रवित पेट्रोलियम गैस के भंडारण के लिए किया जाता है;

(घ) “परिदान करने वाला व्यक्ति” से वह व्यक्ति अभिप्रेत है जिसे उपभोक्ताओं को द्रवित पेट्रोलियम गैस का परिदान करने के लिए किसी वितरक या सरकारी तेल कंपनी या समानान्तर विपणनकर्ता द्वारा चाहे मजदूरी पर या अन्यथा, नियोजित किया गया हो;

(ङ) “वितरक” से कोई ऐसा व्यक्ति, फर्म, व्यक्तियों का संगम, कंपनी, संस्था, संगठन या सहकारी सोसायटी अभिप्रेत है, जो सरकारी तेल

- कंपनी या समानान्तर विपणनकर्ता द्वारा अनुमोदित है और जो यथास्थिति, किसी सरकारी तेल कंपनी या समानान्तर विपणनकर्ता के साथ किसी करार के आधार पर या अन्तर्गत उपभोक्ताओं को सिलेण्डरों में द्रवित पेट्रोलियम गैस का क्रय, विक्रय या विक्रय के लिए भंडारण करने के कारबार में लगा हुआ है ;
- (च) "गैस सिलेण्डर वाल्व" से ऐसा वाल्व अभिप्रेत है जो सिलेण्डर में फिट किया हुआ है ;
- (छ) "भारतीय मानक" का वही अर्थ होगा जो उसका भारतीय मानक ब्यूरो अधिनियम, 1986 (1986 का 63) की धारा 2 के खंड (छ) में है ;
- (ज) "द्रवित पेट्रोलियम गैस" से कतिपय हल्के हाइड्रोकार्बनों का ऐसा मिश्रण अभिप्रेत है, जिसके अन्तर्गत ऐसे प्रोपेन, आइसो-ब्यूटेन, सामान्य ब्यूटेन, ब्यूटिलीन आदि हो सकते हैं, जो सामान्य परिवेश ताप और वायुमंडलीय दाब पर गैसीय हैं, किन्तु सामान्य परिवेश ताप पर दाब डालने से द्रव अवस्था में संघनित हो सकते हैं और जो भारतीय मानक विनिर्देश सं. आई.एस. 4576 के अनुरूप हैं।
- (झ) "सरकारी तेल कंपनी" से निम्नलिखित अभिप्रेत है :
- (i) इंडियन आयल कारपोरेशन लिमिटेड ;
 - (ii) हिन्दुस्तान पेट्रोलियम कारपोरेशन लिमिटेड ;
 - (iii) भारत पेट्रोलियम कारपोरेशन लिमिटेड ;
 - (iv) आई बी पी कंपनी लिमिटेड ;
 - (v) आयल एण्ड नेचुरल गैस कमीशन ;
 - (vi) गैस अथाग्टी आफ इंडिया लिमिटेड ;
 - (vii) आयल इंडिया लिमिटेड ; या
 - (viii) कोई अन्य सरकारी कंपनी, कोई कानूनी निकाय, कोई व्यक्ति, कंपनी, फर्म, व्यक्तियों का संगम या संगठन, जो अधिसूचना द्वारा केन्द्रीय सरकार द्वारा इस आदेश के प्रयोजन के लिए सरकारी तेल कंपनी घोषित किया गया हो ;
- (ञ) "समानान्तर विपणनकर्ता" से ऐसा कोई व्यक्ति, फर्म, कंपनी संस्था, व्यक्तियों का संगम, सरकार सोसायटी या संगठन अभिप्रेत है, जो समानान्तर विपणन प्रणाली के अधीन द्रवित पेट्रोलियम गैस का आयात, परिवहन, उत्पादन, विपणन, वितरण और विक्रय करने का कारबार कर रहा है ;
- (ट) "समानान्तर विपणन प्रणाली" से सार्वजनिक वितरण प्रणाली से भिन्न प्रणाली अभिप्रेत है, जिसके अन्तर्गत समानान्तर विपणनकर्ता अपनी स्वयं व्यवस्था के अधीन द्रवित पेट्रोलियम गैस का प्रपुज में अथवा खुदरा में पैक किए हुए अथवा भरे हुए सिलेण्डर में आयात, परिवहन, भरण, वितरण या विक्रय करता है ;
- (ठ) "सार्वजनिक वितरण प्रणाली" से केन्द्रीय या किसी राज्य सरकार द्वारा अनुमोदित किसी वितरण प्रणाली के माध्यम से सरकार द्वारा नियंत्रित या घोषित कीमत पर द्रवित पेट्रोलियम गैस के वितरण, विपणन या विक्रय की प्रणाली अभिप्रेत है ;
- (ड) "दाब रेगुलेटर" से वह उपकरण अभिप्रेत है जो सिलेण्डर में गैस स्टोव में द्रवित पेट्रोलियम गैस के प्रवाह को नियमित करने के लिए उपयोग में लाया जाता है ;
- (ढ) "सील" से सिलेण्डर को उसमें द्रवित पेट्रोलियम गैस भर दिए जाने के पश्चात्, सील करने (सिलेण्डर का मुह बंद करने) के प्रयोजन के लिए वाल्व के ढकन के ऊपर लगाई गई सील अभिप्रेत है ;
- (ण) "अनुसूची" से इस आदेश से संलग्न अनुसूची अभिप्रेत है।
- (त) 'भंडारण स्थल' से वह परिमर अभिप्रेत है जो मुख्य विस्फोटक नियंत्रक द्वारा अनुमोदित या अनुज्ञप्त किया गया हो ;
- (थ) "परिवाहक" से वह व्यक्ति अभिप्रेत है जिसे थोक में भरे हुए, और खाली या त्रुटिपूर्ण सिलेण्डरों के परिवहन के लिए सरकारी तेल कंपनी, समानान्तर विपणनकर्ता या किसी वितरक द्वारा प्राधिकृत किया गया हो ;
3. द्रवित पेट्रोलियम गैस के कब्जे—प्रदाय और उपभोग पर निर्बन्धन—
- (i) जहां किसी व्यक्ति को सार्वजनिक वितरण प्रणाली के अंतर्गत द्रवित पेट्रोलियम गैस के लिए कनेक्शन दिया गया है, वहां वह—
 - (क) सार्वजनिक वितरण प्रणाली के अंतर्गत दिए गए द्रवित पेट्रोलियम गैस का एक कनेक्शन से अधिक नहीं रखेगा।

(ख) सिलेण्डरों में भरी गई या प्रपुज में द्रवित पेट्रोलियम गैस तब तक नहीं रखेगा या उसका उपयोग करेगा जब तक कि उसने वह प्रदाय किसी सरकारी तेल कंपनी या किसी सरकारी तेल कंपनी द्वारा प्राधिकृत किसी वितरक से प्राप्त न किया हो;

(ग) भोजन पकाने से भिन्न किसी प्रयोजन के लिए द्रवित पेट्रोलियम गैस का उपयोग नहीं करेगा; परन्तु केन्द्रीय सरकार, किसी साधारण या विशेष आदेश द्वारा द्रवित पेट्रोलियम गैस का ऐसे अन्य प्रयोजनों के लिए उपयोग अनुज्ञान कर सकेगी जो वह उस आदेश में विनिर्दिष्ट करे।

(2) किसी सरकारी तेल कंपनी का कोई वितरक किसी व्यक्ति को तब तक सिलेण्डरों में भरी गई द्रवित पेट्रोलियम गैस का प्रदाय नहीं करेगा जब तक कि उसके पास सरकारी तेल कंपनी का विधिमान्य प्राधिकार न हो।

(3) कोई व्यक्ति, तब तक किसी सिलेण्डर में द्रवित पेट्रोलियम गैस नहीं भरेगा या एक सिलेण्डर से दूसरे सिलेण्डर में या एक आधान से दूसरे आधान में द्रवित पेट्रोलियम गैस का अंतरण नहीं करेगा जब तक उसे मुख्य विस्फोटक नियंत्रक द्वारा प्राधिकृत न किया गया हो।

(4) कोई परिवहक या परिदान करने वाला व्यक्ति उपभोक्ता से भिन्न, जिसके लिए द्रवित पेट्रोलियम गैस अभिप्रेत है, किसी व्यक्ति को सिलेण्डरों में या प्रपुज में द्रवित पेट्रोलियम गैस का परिदान नहीं करेगा या कराएगा।

4. द्रवित पेट्रोलियम गैस के भंडारकरण और परिवहन पर निर्बन्धन कोई व्यक्ति—

(क) द्रवित पेट्रोलियम गैस से भरे सिलेण्डरों का सीधी खड़ी स्थिति के विषय परिवहन या भंडार नहीं करेगा;

(ख) द्रवित पेट्रोलियम गैस से भरे सिलेण्डर का शीतल, शुष्क सुसंवातित और छतवाले सुगम स्थान पर ही, जो बायलर, खुली ज्वाला, वाष्प नली या उष्मा के किसी सभावित स्रोत से परे हो, भंडारण करेगा या उपयोग करेगा या भंडारण कराएगा या उपयोग कराएगा, अन्य स्थान पर नहीं;

(ग) सिलेण्डरों का उपयोग करने से पहले सील नहीं हटाएगा;

परन्तु वितरक या उसका प्राधिकृत प्रतिनिधि या परिदान करने वाला व्यक्ति परीक्षण, जांच पड़ताल या सिलेण्डर को फिट करने के लिए उपभोक्ता की सहमति से, ऐसी सील हटा सकेगा;

(घ) अनुसूची "क" और "ख" में विनिर्दिष्ट से भिन्न सिलेण्डर, दाब रेगुलेटर और गैस मिलेण्डर वाल्व का उपयोग नहीं करेगा।

5. मानक भार से कम द्रवित पेट्रोलियम गैस के विक्रय या वितरण पर निर्बन्धन

कोई सरकारी तेल कंपनी, वितरक या समानान्तर विपणनकर्ता किसी उपभोक्ता को द्रवित पेट्रोलियम गैस का प्रदाय, विक्रय या वितरण ऐसे सिलेण्डरों में नहीं करेगा, जिनमें इस आदेश से उपाबद्ध अनुसूचियों में विनिर्दिष्ट भार से कम द्रवित पेट्रोलियम गैस हो।

6. द्रवित पेट्रोलियम गैस उपस्करों का कब्जा, प्रदाय या विक्रय—

(1) कोई व्यक्ति—

(क) किसी सरकारी तेल कंपनी या समानान्तर विपणनकर्ता से भिन्न किसी व्यक्ति को भरे हुए या खाली सिलेण्डरों, गैस सिलेण्डरों, वाल्वों और दाब रेगुलेटरों का प्रदाय या विक्रय नहीं करेगा;

(ख) जब तक कि किसी सरकारी तेल कंपनी या समानान्तर विपणनकर्ता द्वारा प्राधिकृत न किया गया हो, तब तक उपभोक्ता से भिन्न किसी व्यक्ति को खाली सिलेण्डर, गैस सिलेण्डर वाल्व और दाब रेगुलेटर का प्रदाय या विक्रय नहीं करेगा;

(ग) तब तक भरा हुआ या खाली सिलेण्डर, गैस सिलेण्डर वाल्व या दाब रेगुलेटर नहीं रखेगा जब तक कि वह उपभोक्ता न हो और उसका प्रदाय किसी वितरक, सरकारी तेल कंपनी या किसी समानान्तर विपणनकर्ता द्वारा न किया गया हो।

(2) सिलेण्डर गैस, सिलेण्डर वाल्व और दाब रेगुलेटर का प्रत्येक विनिर्माता, उन सिलेण्डरों, मिलेण्डर वाल्वों और दाब रेगुलेटरों को, जो विहित भारतीय मानकों के अनुरूप नहीं हैं, सफलता द्वारा नष्ट कर देगा।

7. सार्वजनिक वितरण प्रणाली के अंतर्गत द्रवित पेट्रोलियम गैस के स्टॉक और उसकी कीमत को प्रदर्शित करना :—

सार्वजनिक वितरण प्रणाली के अंतर्गत नियुक्त प्रत्येक वितरक, कारबार परिसर के, जिसके अंतर्गत भंडारण स्थल भी है, सहजदृश्य स्थान पर द्रवित पेट्रोलियम गैस का स्टॉक और उसकी कीमत प्रमुख रूप से प्रदर्शित करेगा, जिसमें निम्नलिखित दर्शित होगा—

- (i) भरे हुए, खाली और त्रुटिपूर्ण सिलेण्डरों और रेगुलेटरों का आरम्भिक अतिशेष;
- (ii) पूर्ववर्ती कार्य दिवस को प्रदाय किए जाने वाले भरे हुए सिलेण्डरों का बकाया ;

8. सार्वजनिक वितरण प्रणाली के अंतर्गत वितरक द्वारा द्रवित पेट्रोलियम गैस का उपापन, भंडारण और विक्रय :—

(क) सार्वजनिक वितरण प्रणाली के अंतर्गत नियुक्त कोई ऐसा वितरक, जिसके पास कारबार परिसर पर, जिसके अंतर्गत भंडारण स्थल भी है, द्रवित पेट्रोलियम गैस का स्टॉक है, जब तक कि किसी सरकारी तेल कंपनी द्वारा अन्यथा निदेश न दिया गया हो, किसी कार्य दिवस को, कार्य 'घंटों' के दौरान ऐसे उपभोक्ता को, जिसका नाम वितरक के पाम रजिस्ट्रीकृत है, मांग प्रस्तुत करने के कालानुक्रम के अनुसार, विक्रय करने से इनकार नहीं करेगा।

(ख) सार्वजनिक वितरण प्रणाली के अधीन नियुक्त कोई वितरक अपना कारबार परिसर, जिसके अंतर्गत भंडारण स्थान भी है, सरकारी तेल कंपनी की पूर्व लिखित अनुज्ञा के बिना, किसी कार्य दिवस को कार्यसमय के दौरान बंद नहीं रखेगा।

स्पष्टीकरण :—उपरोक्त उपखंड (क) और उपखण्ड (ख) के प्रयोजनों के लिए, कार्य-समय" पद से, यथास्थिति संबंधित राज्यों या संघ राज्य क्षेत्रों में प्रयुक्त दुकान और स्थापन अधिनियम के उपबंधों के अनुसार संबंध सरकारी तेल कंपनी द्वारा नियत कार्य-समय अभिप्रेत है।

(ग) सार्वजनिक वितरण प्रणाली के अधीन नियुक्त प्रत्येक वितरक यह सुनिश्चित करने के लिए सभी उचित कदम उठाएगा कि कारबार परिसर में, जिसके अंतर्गत भंडारण स्थान भी है

सब समय द्रवित पेट्रोलियम गैस का पर्याप्त स्टॉक उपलब्ध रहे।

(घ) सार्वजनिक वितरण प्रणाली के अधीन नियुक्त कोई भी वितरक सरकारी तेल कंपनी द्वारा नियत कीमत से अधिक कीमत पर द्रवित पेट्रोलियम गैस का न तो विक्रय करेगा, न ही उसका संबंध सरकारी तेल कंपनी की पूर्व लिखित अनुज्ञा के बिना ऐसे उपभोक्ता के, जिसका नाम और पता वितरक के पास रजिस्ट्रीकृत है पते पर घर पर परिदान करने से इंकार करेगा।

(ङ) सार्वजनिक वितरण प्रणाली के अधीन नियुक्त प्रत्येक वितरक कारबार के स्थान पर, जिसके अंतर्गत भंडारण स्थान भी है प्रमुख रूप से सहजदृश्य स्थान पर काम का घंटा प्रदर्शित करेगा।

9. सार्वजनिक वितरण प्रणाली के अधीन नियुक्त वितरक द्वारा रजिस्टर लेखा बही बनाए रखना और विवरणी प्रस्तुत करना :—

(क) सार्वजनिक वितरण प्रणाली के अधीन नियुक्त प्रत्येक वितरक प्रत्येक दिन कारबार परिसर में द्रवित पेट्रोलियम के दैनिक क्रय, विक्रय और भंडार का उचित लेखा रखेगा जिसमें

- (1) भरे हुए, खाली और त्रुटिपूर्ण सिलेण्डरों का आरम्भिक स्टॉक;
- (2) दिन के दौरान भरे हुए, खाली और प्राप्त त्रुटिपूर्ण सिलेण्डरों की संख्या;
- (3) दिन के दौरान विक्रय किए गए, परिदत्त, किए गए या अन्यथा व्ययनित भरे हुए, खाली और त्रुटिपूर्ण सिलेण्डरों की संख्या;
- (4) भरे हुए, खाली और त्रुटिपूर्ण सिलेण्डरों का अंतिम स्टॉक; और
- (5) ऐसी अन्य सुसंगत विनिर्दिष्टियां, जो इस बारे में संबंधित सरकारी तेल कंपनी लिखित रूप में आदेश द्वारा विनिर्दिष्ट करे, उपदर्शित होगी।

(ख) सार्वजनिक वितरण प्रणाली के अधीन नियुक्त वितरक, द्रवित पेट्रोलियम गैस कनेक्शन प्राप्त करने के लिए उसके पास रजिस्ट्रीकृत व्यक्तियों के नाम और पतों के ब्योरे देने हुए, एक रजिस्टर रखेगा।

10. समानान्तर विपणनकर्ता द्वारा अभिलेख का बनाए रखा जाना और सूचना का दिया जाना :—

- (क) द्रवित पेट्रोलियम गैस के आपान, परिवहन, कृषिभरण, विपणन वितरण या विक्रय आरंभ करने से पहले प्रत्येक समानान्तर विपणनकर्ता, उपरोक्त क्रियाकलापों में से सभी या किसी एक में स्वयं को नियोजित करने का अपना आशय, उसमें ऐसा करने की अपनी क्षमता विनिर्दिष्ट करते हुए, और अन्य सुसंगत विनिर्दिष्टियां केन्द्रीय सरकार के पेट्रोलियम और प्राकृतिक गैस मंत्रालय को सूचित करेगा।
- (ख) द्रवित पेट्रोलियम गैस का समानान्तर विपणनकर्ता केन्द्रीय सरकार के पेट्रोलियम और प्राकृतिक गैस मंत्रालय को पत्तनवार आयातित द्रवित पेट्रोलियम गैस के ब्योरे देते हुए आगामी माह की 15 तारीख के पहले एक मासिक विवरणी प्रस्तुत करेगा।
- (ग) समानान्तर विपणनकर्ता केन्द्रीय सरकार के पेट्रोलियम और प्राकृतिक गैस मंत्रालय को या इस संबंध में उस सरकार द्वारा विनिर्दिष्ट प्राधिकारी को ऐसी अन्य सूचना, जो अपेक्षा की जाए, देगा।

11. प्रवेश, तलाशी और अभिग्रहण की शक्ति

- (क) सरकार के खाद्य और नागरिक पूर्ति विभाग का कोई अधिकारी, जो निरीक्षक की पक्ति से नीचे का न हो और ऐसी सरकार द्वारा प्राधिकृत तथा केन्द्रीय सरकार द्वारा अधिसूचित हो या केन्द्रीय सरकार द्वारा प्राधिकृत और अधिसूचित कोई अधिकारी या सरकार द्वारा प्राधिकृत और केन्द्रीय सरकार द्वारा अधिसूचित कोई अधिकारी जो सरकारी तेल कंपनी के विक्रय अधिकारी की पक्ति से नीचे का न हो, इस आदेश के उपबंधों का अनुपालन सुनिश्चित करने की दृष्टि से और स्वयं का समाधान करने के प्रयोजन के लिए कि इस आदेश या इसके अधीन किए गए किसी आदेश का अनुपालन किया गया है ;

(1) किसी ऐसे जलयान या यान को रोक सकेगा और उसकी तलाशी ले सकेगा जिसके बारे में अधिकारी के पास यह विश्वास करने का कारण है कि उसका इस आदेश के उल्लंघन में उपयोग किया गया या उपयोग किया जा रहा है या उपयोग किया जाने वाला है ;

(2) किसी स्थान में ऐसे साहाय्य या सहायता के साथ, जो आवश्यक हो, प्रवेश कर सकेगा और उसकी तलाशी ले सकेगा ; और

(3) द्रवित पेट्रोलियम गैस कारबार, भरे हुए और खाली सिलिंडरों, सिलेंडरो वाल्वों तथा दाब रेगुलेटरों से संबंधित लेखाबहियों, रजिस्ट्रों और अन्य अभिलेखों का ऐसे स्टॉक को ले जाने के लिए प्रयुक्त यान, जलयान या किसी अन्य प्रवहन सहित ऐसे साहाय्य या सहायता के साथ जो आवश्यक हो, उस दशा में अभिग्रहण कर सकेगा और उन्हें हटा सकेगा, यदि उसके पास यह विश्वास करने का कारण है कि इस आदेश के किसी उपबंध का उल्लंघन किया गया या किया जा रहा है या किया जाने वाला और उसके पश्चात् सरकारी तेल कंपनी के कार्यालय में द्रवित पेट्रोलियम गैस के भरे हुए या खाली सिलिंडरों, सिलेन्डर वाल्वों, दाब रेगुलेटरों के उत्पादन को सुनिश्चित करने के लिए और इस प्रकार अभिगृहीत यान, जलयान या अन्य प्रवहन को उस कलक्टर के समक्ष, जिसकी आवश्यक वस्तु अधिनियम 1955 है (1955 का 10) के उपबंधों के अधीन अधिकारिता है, सभी संबंध व्यक्तियों के विरुद्ध कार्रवाई करने के लिए सभी आवश्यक उपाय कर सकेगा या करने के लिए प्राधिकृत कर सकेगा।

- (ख) दण्ड प्रक्रिया संहिता, 1973 के (1974 का 2) की धारा 100 के तलाशी और अभिग्रहण से संबंधित उपबंध, जहां तक हो सके, इस आदेश के अधीन तलाशी और अभिग्रहण को लागू होंगे।

12 आदेश का अध्यारोही प्रभाव :—इस आदेश के उपबंधों का किसी राज्य सरकार या संघ राज्य क्षेत्र द्वारा अथवा ऐसी राज्य सरकार या संघ राज्य क्षेत्र के किसी अधिकारी द्वारा इस आदेश के प्रारंभ के पूर्व किए गए किसी आदेश में प्रतिकूल किसी बात के होते हुए भी, ऐसे प्रारंभ के पूर्व कि गई या की जाने के लिए लोप की गई किसी बात के सिवाए, अध्यारोही प्रभाव होगा।

13. छूट देने की शक्ति :—यदि केन्द्रीय सरकार कठिनाई को दूर करने के लिए या किसी अन्य न्यायसंगत और पर्याप्त कारणों से आवश्यक समझे, तो वह, किसी व्यक्ति को राजपत्र में अधिसूचना द्वारा, इस आदेश के सभी या किसी उपबंध से, ऐसी शर्तों के अधीन रहते हुए जो अधिसूचना में विनिर्दिष्ट की जाए, साधारणतया या किसी विनिर्दिष्ट अवधि के लिए छूट दे सकेगी।

14. निरसन और व्यावृत्ति (1) द्रवित पेट्रोलियम गैस (प्रदाय और वितरण विनियमन) आदेश, 1988 निरसित किया जाता है, सिवाय उस बात के, जो इस आदेश के प्रारंभ के पूर्व उस आदेश के अधीन की गई या की जाने के लिए लोप की गई है।

(2) ऐसे निरसन के होते हुए भी, उक्त आदेश के अधीन की गई कोई बात या कार्रवाई इस आदेश के तत्स्थानीय उपबंध के अधीन की गई समझी जाएगी ,

अनुसूची —क

(खण्ड 4 और 5 देखिए)

प्रद्वित पेट्रोलियम गैस सिलेण्डरों का मानक आकार और विनिर्देश

भारतीय मानक 3196 के अनुरूप होगा और रंग कोड विनिर्देश

भारतीय मानक 4379 होगा।

सिलेण्डरों की जल क्षमता	सिलेण्डरों का आंतरिक व्यास मि.मी. में	प्रद्वित पेट्रोलियम गैस का शुद्ध भार
(i) 33.3 लीटर \pm 5 लीटर	314 मि. मी. \pm 20 मि.मी.	14.2 कि.ग्रा. \pm 5 कि.ग्रा.
(ii) 44.5 लीटर \pm 5 लीटर	330 मि.मी. \pm 30 मि.मी.	19.0 कि. ग्रा. \pm 1 कि. ग्रा.
(iii) 110 लीटर \pm 15 लीटर	368 मि. मी. \pm 30 मि.मी.	47.5 कि. ग्रा. \pm 1 कि. ग्रा.
(iv) 225 लीटर \pm 25 लीटर	390 मि. मि. \pm 40 मि.मी.	100.0 कि. ग्रा. \pm 2 कि. ग्रा.

टिप्पण— किसी सिलेण्डर में रखी गई प्रद्वित पेट्रोलियम गैस का भार संबंधित सिलेण्डर के शुद्धभार के 1.5 प्रतिशत से अधिक अन्तर का नहीं होगा, जैसा कि सरकारी तेल कम्पनी द्वारा उम पर उपदर्शित किया गया है।

2. सार्वजनिक वितरण प्रणाली के अधीन गैस सिलेण्डर का मानक आकार और विनिर्देश भारतीय मानक 8737, भाग II विनिर्देश के अनुरूप होगा जिसकी बाह्य पट्टी का व्यास 25.6 कि. मी. \pm 3 कि. मीटर होगा।

3. दाब रेगुलेटर भा. मा. 9798 विनिर्देश के अनुरूप होगा जिसका आन्तरिक व्यास 25.6 कि. मी. \pm 3 मि. मी. होगा।

अनुसूची —ख

(खण्ड 4 और खण्ड 5 देखिए)

(समानांतर विपणन प्रणाली को लागू)

समानांतर विपणन प्रणाली के अधीन कोई समानांतर विपणनकर्ता निम्नलिखित के संबंध में व्यवहार कर सकेगा :—

- (क) अनुसूची "क" में विनिर्दिष्ट सिलेण्डरों से भिन्न किसी आकार बनावट, डिजाइन और भार का सिलेण्डर जो भारतीय मानक विनिर्देशों के अनुरूप हो, किन्तु जल क्षमता पर कोई प्रतिबन्ध नहीं होगा।
- (ख) भारतीय मानक विनिर्देश 8737 भाग II विनिर्देश के अनुरूप गैस सिलेण्डर बाल्व किन्तु बाह्य पट्टी के व्यास का आकार 25.6 \pm 3 मि. मी. से भिन्न होना चाहिए।
- (ग) भारतीय मानक विनिर्देश 9798 के अनुरूप किसी भी आकार का दाब रेगुलेटर जिसका आंतरिक व्यास 25.6 मि. मी. \pm 3 मि. मीटर से भिन्न हो।

[सं. पी. 17011/19/93 विपणन]

देवी दयाल, संयुक्त सचिव

**MINISTRY OF PETROLEUM AND
NATURAL GAS
NOTIFICATION**

New Delhi, the 3rd August, 1993

G.S.R. 529(E).—In exercise of the powers conferred by section 3 of the Essential Commodities Act, 1955 (10 of 1955), the Central Government hereby makes the following Order, namely :—

- (1) Short Title and Commencement :— (1) This Order may be called the Liquefied Petroleum Gas (Regulation of Supply and Distribution) Order, 1993.
 - (2) It extends to the whole of India.
 - (3) It shall come into force on the date of its publication in the Official Gazette.
2. Definitions :—In this Order, unless the context otherwise requires,
- (a) 'Chief Controller of Explosives' shall have the same meaning assigned to it in the Indian Explosives Act, 1884 (4 of 1884);
 - (b) "consumer" means a person, firm, company, institution, association of persons, co-operative society or organisation, whose name is registered with a distributor or with a Government Oil Company or with a parallel marketer for supply of liquefied petroleum gas either in bulk or in cylinders;
 - (c) "cylinder" means a metal container utilised for storing liquefied petroleum gas;
 - (d) "delivery person" means a person employed by a distributor or a Government Oil Company or a parallel marketer, whether for wages or otherwise, to deliver Liquefied Petroleum Gas in cylinders to consumers;
 - (e) "distributor" means a person, firm, association of persons, company, institution, organisation or a Co-operative Society approved by Government Oil Company or parallel marketer and engaged in the business of purchase, sale, or storage for sale of liquefied petroleum gas in cylinders to consumers on the basis of an agreement or otherwise with a Government Oil Company or a parallel marketer, as the case may be;
 - (f) "gas cylinder valve" means a valve which is fitted to a cylinder;
 - (g) "Indian Standard" shall have the same meaning as assigned to it in clause (g) of section 2 of the Bureau of Indian Standards Act, 1986; (63 of 1986);
 - (h) "liquefied petroleum gas" means a mixture of certain light hydrocarbons which may include propane, isobutane, normal butane, butylenes etc., which are gaseous at normal ambient temperature and atmospheric pressure but may be condensed to liquid state at normal ambient temperature by the application of pressure and which conforms to Indian Standard specification No. IS 4576;
 - (i) "Government Oil Company" means :
 - (i) the Indian Oil Corporation Limited,
 - (ii) the Hindustan Petroleum Corporation Limited,
 - (iii) the Bharat Petroleum Corporation Limited,
 - (iv) the IBP Co. Limited,
 - (v) the Oil and natural Gas Commission,
 - (vi) the Gas Authority of India Limited,
 - (vii) the Oil India Limited, or
 - (viii) any other Government Company, a statutory body, a person, company, firm, association of persons, or organisation as declared by notification to be a Government Oil Company by the central government, for the purpose of this order;
 - (j) "parallel marketer" means any person, firm, company, institution, association of persons, Co-operative society or organisation carrying on the business of importing, refining, producing, bottling, marketing, distributing and selling liquefied petroleum gas under the parallel marketing system;
 - (k) "parallel marketing system" means the system other than the public distribution system, under which a parallel marketer imports, transports, bottles, distributes or sells in bulk or in retail, packed or filled in cylinder, liquefied petroleum gas under his own arrangement;
 - (l) "public distribution system" means the system of distribution, marketing or selling of liquefied petroleum gas at Government controlled or declared price through a distribution system approved by the Central or a State Government;
 - (m) "pressure regulator" means the equipment used for regulating the flow of liquefied petroleum gas from a cylinder to a gas stove;
 - (n) "seal" means seal put on the cap of the valve of the cylinder for the purpose of sealing a cylinder after it has been filled with liquefied petroleum gas;
 - (o) "Schedule" means the Schedule annexed to this Order;
 - (p) "storage point" means the premises approved or licensed by the Chief Controller of Explosives;
 - (q) "transporter" means a person authorised by a Government Oil Company, parallel marketer or a distributor for transportation of LPG in bulk or in cylinders and also of empty or defective cylinders.

3. Restriction on possession, supply and consumption of liquefied petroleum gas :—

(1) Where a person has been granted a connection for liquefied petroleum gas under the public distribution system then he shall not :

- (a) possess more than one connection of liquefied petroleum gas granted under the public distribution system,
- (b) possess or use liquefied petroleum gas filled in cylinders or in bulk, unless he has received that supply from a Government Oil Company or a distributor authorized by a Government Oil Company;
- (c) use liquefied petroleum gas for any purpose other than for cooking :

Provided that the Central Government may by a general or special order permit the use of liquefied petroleum gas for such other purposes it may specify in that order.

(2) No distributor of a Government Oil Company shall supply liquefied petroleum gas filled in cylinders to any person unless he holds a valid authorisation from the Government Oil Company.

(3) No person shall fill any cylinder with liquefied petroleum gas or transfer liquefied petroleum gas from one cylinder to another cylinder or from one container to another container unless authorised by the Chief Controller of Explosives.

(4) No transporter or delivery person shall deliver or cause to be delivered liquefied petroleum gas either in cylinders or in bulk to any person other than the consumer for whom the liquefied petroleum gas is meant for.

4. Restriction on storage and transport of liquefied petroleum gas.—No person shall —

- (a) transport or store a cylinder filled with liquefied petroleum gas except in an upright position;
- (b) store or use or cause to be stored or used a cylinder filled with the liquefied petroleum gas except in a cool, dry, well-ventilated and accessible place under cover, away from boilers, open flames, steam pipes or any potential source of heat;
- (c) remove the seal prior to use of the cylinder :

Provided that the distributor or his authorised representative or the delivery person may remove such seal with the consent of the consumer either for testing, checking or fitting the cylinder;

(d) use cylinder, pressure regulator and gas cylinder valve other than those specified in schedules 'A' and 'B'.

5. Restriction on sale or distribution of liquefied petroleum gas below the standard weight.—No Government Oil Company, distributor or parallel marketer shall supply, sell or distribute to a consumer of liquefied petroleum gas in cylinders which contains less than the weight of liquefied petroleum gas specified in the Schedules annexed to this Order.

6. Possession, supply or sale of liquefied petroleum gas equipments :—

(1) No person shall —

(a) supply or sell filled or empty cylinders, gas cylinder valves and pressure regulators to any person other than a Government Oil Company or a parallel marketer,

(b) unless authorised by a Government Oil Company or a parallel marketer, supply or sell empty cylinder, gas cylinder valve and pressure regulator to any person other than a consumer;

(c) possess filled or empty cylinder, gas cylinder valve or pressure regulator, unless he is a consumer and the same has been supplied by a distributor, a Government Oil Company or a parallel marketer.

(2) Every manufacturer of cylinder, gas cylinder valve and pressure regulator shall destroy by crushing those cylinders, cylinder valves and pressure regulators which do not conform to the prescribed Indian Standards.

7. Display of stock and price of liquefied petroleum gas under public distribution system : —

Every distributor appointed under the public distribution system shall prominently display the stock and price of the liquefied petroleum gas at a conspicuous place of the business premises including the storage point, showing :—

(i) opening balance of filled, empty and defective cylinders and regulators;

(ii) the backlog of the filled cylinders to be supplied on the preceding working day;

8. Procurement, storage and sale of liquefied petroleum gas by the distributor under the public distribution system :—

(a) No distributor appointed under the public distribution system having stock of liquefied petroleum gas at the business premises, including storage point, shall, unless otherwise directed by a Government Oil Company, refuse to sell on any working day, during working hours, to the consumer

whose name is registered with the distributor according to the chronology of placing of orders.

- (b) No distributor appointed under the public distribution system shall keep his business premises, including the storage point, closed during working hours, on any working day, without the prior written permission of the Government Oil Company.

Explanation.--For the purposes of sub-clause (a) and sub-clause (b) above, the expression 'working hours' means the working hours fixed by the concerned Government Oil Company in accordance with the provisions of the Shops and Establishment Act in force in the respective states or union territories, as the case may be.

- (c) Every distributor appointed under the public distribution system shall take all reasonable steps to ensure that adequate stocks of liquefied petroleum gas are available at the business premises, including the storage point, at all times.
- (d) No distributor appointed under the public distribution system shall sell liquefied petroleum gas at a price higher than that fixed by the Government Oil Company nor shall, without prior written permission of the concerned Government Oil Company, refuse to make home delivery at the address of the consumer, whose name and address is registered with the distributor.
- (e) Every distributor appointed under the public distribution system shall display prominently at the place of business, including the place of storage on a conspicuous place the hours of working.

9. Maintenance of register, account books and submission of returns by a distributor appointed under public distribution system :—

(a) Every distributor appointed under public distribution system shall maintain proper accounts of daily purchase, sale and storage of liquefied petroleum gas at the business premises everyday, indicating therein :

- (i) the opening stock of the filled, empty and defective cylinders;
- (ii) the number of filled empty and defective cylinders received during the day;
- (iii) the number of filled, empty and defective cylinders sold, delivered or otherwise disposed of during the day;
- (iv) the closing stock of the filled, empty and defective cylinders; and

- (v) such other relevant particulars as the concerned Government Oil Company may by order in writing specify in this regard.

- (b) The distributor appointed under the public distribution system shall maintain a register giving the details of names and addresses of persons registered for obtaining liquefied petroleum gas connection.

10. Maintenance of records and furnishing of information by parallel marketeer :—

- (a) Every parallel marketeer before commencing the import, transportation, bottling, marketing, distribution or sale of liquefied petroleum gas shall intimate to the Central Govt. in the Ministry of Petroleum and Natural Gas his intention to engage in all or any one of the above activities specifying therein capability to do so, and other relevant particulars.
- (b) The parallel marketeer of liquefied petroleum gas shall submit a monthly return before the 15th day of the following month giving details of liquefied petroleum gas imported port-wise, to the Central Government in the Ministry of Petroleum & Natural Gas.
- (c) The parallel marketeer shall furnish to the Central Government in the Ministry of Petroleum and Natural Gas, or to such authority as may be specified by that government in this regard, such other information as may be required.

11. Power of entry, search and seizure :—

- (a) An Officer of the Department of Food and Civil Supplies of the Government, not below the rank of an Inspector authorised by such Government and notified by the Central Government or any Officer authorised and notified by the Central Government or any Officer not below the rank of a Sales Officer of a Government Oil Company authorized by the Government and notified by the Central Government may, with a view to ensuring compliance with the provisions of this Order, for the purpose of satisfying himself that his Order or any Order made thereunder has been complied with,

- (i) stop and search any vessel or vehicle which the Officer has reason to believe has been, or is being or is about to be used in the contravention of this Order;
- (ii) enter or search any place with such aid or assistance, as may be necessary; and
- (iii) seize and remove with such aid or assistance, as may be necessary books registers and other records pertaining to liquefied petroleum gas business, filled and empty

cylinders, cylinder valves and pressure regulators alongwith the vehicle, vessel or any other conveyance used for carrying such stock.

if he has reason to believe that any provision of this Order has been or is being or is about to be contravened and thereafter take or authorise the taking of all measures necessary for securing the production of the liquefied petroleum gas filled or empty cylinders, cylinder valves, pressure regulators, at the office of the Government Oil Company and the vehicle, vessel or other conveyance so seized before the Collector having jurisdiction under the provisions of the Essential Commodities Act, 1955 (10 of 1955), for their taking action against all concerned.

(b) The provisions of section 100 of the Code of Criminal Procedure, 1972 (2 of 1974) relating to search and seizure shall, so far as may be apply to searches and seizures under this Order.

12. Overriding effect of the Order:—The provisions of this Order shall have the overriding effect notwithstanding anything to the contrary contained in any order made by a State Government or a

Union Territory by an Officer of such State Government or Union Territory before the commencement of this Order, except as regards of anything done or omitted to be done thereunder before such commencement.

13. Power to exempt:—The Central Government may, if it considers necessary for avoiding hardship or for any other just and sufficient reason, by notification in the Official Gazette, exempt any person from all or any of the provision of this Order, either generally or for any specific period, subject to such conditions as may be specified in the notification.

14. Repeal and Saving :

(1) The Liquefied Petroleum Gas (Regulation of Supply and Distribution) Order, 1988 is hereby repealed except in respect of things done or omitted to be done under that order before the commencement of this order.

(2) Notwithstanding such repeal anything done or any action taken under the said Order shall be deemed to have been done or taken under the corresponding provisions of this Order.

SCHEDULE—A

(See Clauses 4 and 5)

Standard size and Specification of liquefied petroleum gas cylinders shall conform to IS 3196 — and Colour Code specification IS 4379

Water capacity of cylinders	Internal diameter of cylinders in MM	Net weight of liquified petroleum gas
(i) 33.3 litres \pm 5 litres	314 mm \pm 20 mm	14.2 kg \pm 5 kg
(ii) 44.5 litres \pm 5 litres	330 mm \pm 30 mm	19.0 kg \pm 1 kg
(iii) 110 litres \pm 15 litres	368 mm \pm 30 mm	47.5 kg \pm 1 kg
(iv) 225 litres \pm 25 litres	390 mm \pm 40 mm	100.0 kg \pm 2 kg

Note:—The weight of the liquified petroleum gas contained in a cylinder shall not vary by a difference of 1.5% of the net weight of the respective cylinder as indicated on it by the Government oil company.

2. Standard size and specification of Gas Cylinder Valve under the public distribution system shall conform to IS 8737, Part II specifications having an outlet collar diameter of 26.6 mm \pm 3 mm.

3. Pressure regulator shall conform to IS 9798 specification having an inlet diameter of 25.6 mm \pm 3 mm.

SCHEDULE B

(See Clauses 4 and 5)

(APPLICABLE TO PARALLEL MARKETEE SYSTEM)

A parallel marketeer under the parallel marketing system may deal with—

- cylinder of any size, shape, design and weight other than those specified in Schedule 'A' conforming to Indian Standard specifications, without however any restriction on water capacity
- Gas cylinder valve conforming to IS specification 8737, Part II specification but the outlet collar diameter size should be different than 25.6 \pm 3mm.
- Pressure regulators conforming to Indian Standard specification 9798 of any size and having an inlet diameter other than of 25.6 mm \pm 3mm.

[No. P-17011/19/93-Mkt.]
DEVI DAYAL, Jt. Secy.